

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(Marcia near Martin).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 13:58
L2	82	extent adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L3	1303	random adj access adj storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L4	15752	write adj command\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L5	5341	primary adj2 storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L6	147	forward adj2 journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L7	604338	mirror or backup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L8	7595	MIM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L9	321492	journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02

L10	121878	pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L11	8812	logical adj address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L12	20	backward adj2 journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L13	440	(physical or logical) adj2 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L14	6	VRMO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:02
L15	82	extent adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:04
L16	745	8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:04
L17	6	6 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:04
L18	6	17 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:04
L19	6	18 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:05

L20	4941	extend\$4 near3 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:06
L21	0	19 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:06
L22	24056	address\$4 near3 map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:06
L23	6	19 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:06
L24	5	13 and 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:26
L25	7	6 AND 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:26
L26	15	9 AND 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:28
L27	9991	RAID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:28
L28	6530	DASD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:28
L29	5	8 AND 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:29

L30	0	14 AND 29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 14:30
-----	---	-----------	---	----	-----	------------------



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+archive, +backup, +journal, +address +mapping, +RAID RAID array, ...



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

[archive](#) [backup](#) [journal](#) [address](#) [mapping](#) [RAID](#) [RAID array](#) [DASD](#) [VRMO](#)

Found 1 of 148,786

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display
results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new
window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐



1 [The HP AutoRAID hierarchical storage system](#)

John Wilkes, Richard Golding, Carl Staelin, Tim Sullivan

February 1996 **ACM Transactions on Computer Systems (TOCS)**, Volume 14 Issue 1

Full text available: [pdf\(1.82 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Configuring redundant disk arrays is a black art. To configure an array properly, a system administrator must understand the details of both the array and the workload it will support. Incorrect understanding of either, or changes in the workload over time, can lead to poor performance. We present a solution to this problem: a two-level storage hierarchy implemented inside a single disk-array controller. In the upper level of this hierarchy, two copies of active data are stored to provide f ...

Keywords: RAID, disk array, storage hierarchy

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)